



TIMOTHY OULTON



SELENITE SCONCE MATT NATURAL

Wall Lights & Sconces

Named after the Greek goddess of the moon, selenite is known for its soft pearlescent glow similar to moonlight. It is the crystalline version of the mineral Gypsum, and is revered by many for its spiritual and protective properties with some believing it unlocks the chakra of divine wisdom. The oldest Selenite crystal ever discovered was 500,000 years old in Chihuahua, Mexico.

Suspended like glistening stalactites, the crystals in our Selenite sconce are painstakingly affixed to the frame one by one.

LARGE SPECIFICATION

Product Code:	T-SEL-LS-0002-U
Product Height:	120cm / 47"
Product Width:	16cm / 6"
Product Depth:	17cm / 7"
Weight:	16kg / 36lbs
Max Wattage:	10W
No. of Bulbs:	5
Bulb Included:	Yes
Dimmable:	Yes

SMALL SPECIFICATION

Product Code:	T-SEL-LS-0004-U
Product Height:	60cm / 24"
Product Width:	14cm / 6"
Product Depth:	15cm / 6"
Weight:	9kg / 19lbs
Max Wattage:	6W
No. of Bulbs:	3
Bulb Included:	Yes
Dimmable:	Yes













TIMOTHY OULTON

ASSEMBLY INSTRUCTION

SELENITE SCONCE 120CM

PARTS ENCLOSED

ITEMS	DIAGRAM	DESCRIPTION	QTY.
(A)		Junction Box(Not included)	1
(B)		Mounting Screws (Not included)	8 Sets
(C1)		Wire Nut	3
(C2)		Terminal Box	1
(D1)		Wall Mounting Plate	1
(D2)		Screw Cap	2
(E1)		Body	1
(E2)		Screw	4
(F)		Shade	1
(H)		Bulb G9 LED	5

IMPORTANT SAFETY INSTRUCTIONS:

1. Use an authorized and certified electrician for consultation and installation.
2. This fixture has been rated for 5 x 2-watt maximum G9 LED bulb.
3. To avoid the risk of fire, do not exceed the recommended wattage.
4. The ceiling must have at least the capacity of 5 times the weight of the wall light. For this light at least a ceiling capacity of 76 kg (167.4lb) is required.
5. The manufacturer and distributor accepts no liability for incorrect installation.
6. For indoor use only.
7. Keep away from children.

Warnings:

1. Turn-off electricity supply at main circuit panel before installing. Do not connect electricity supply until your ceiling light is fully assembled and installed.
2. All wires are connected. Do not remove the ceiling light from its packaging by pulling on the power cord, as a bad connection may result.
3. To reduce the risk of fire, electrical shock, or personal injury, always turn off the ceiling light and allow it to cool prior to replacing light bulb. Do not touch bulb when fixture is turned on or look directly at light bulb. Keep flammable materials away from light bulb.
4. Deviation from instructions may result in a risk of fire or electric shock.

PRODUCT DESCRIPTION:

Height: 120 cm (47.25 in)
 length: 16cm (6.25 in)
 Width: 17cm (6.75 in)
 Weight: 15.2kg (33.5lb)
 Grounded / Hardwired

TO ASSEMBLE:


1. Carefully remove all parts from the box and remove all plastic covering.
Please follow the unpacking instruction in page 2 to take out the fixture.
2. Turn OFF power to the junction box where the ceiling light will be installed.
3. Loosen the screw cap (D2) and remove the wall mounting plate (D1) from the body(E1).
4. Attach the mounting plate (D1) onto the wall with mounting screws (B).
5. Connect wires from the fixture to the ceiling wires referring to **Wire & Safety Guidelines** with wire nuts (C1) or terminal box (C2).
6. Move the body (E1) into the mounting wall plate(D1), fasten with the screw cap (D2).
7. Fasten lightbulbs (H) to the lampholders.
8. Put the Shade(F) onto the body(E1) and fasten with screw(E2).
9. Restore power to the junction box and test ceiling light fixture.

CARE INSTRUCTIONS:

1. Make sure that the power is turned off and bulb has cooled before handling.
2. Wipe clean with a dry cloth / mild soapy solution. Do not use corrosive cleaners.

ENVIRONMENT:

Special waste handling may be required. Please contact your local authorities for more information.





TIMOTHY OULTON


ASSEMBLY INSTRUCTION

SELENITE SCONCE 120CM

PLEASE FOLLOW BELOW INSTRUCTION TO TAKE OUT THE SELENITE SHADE

Step 1

Unscrew the G1 and G4 then take out the shade with the support cross bar.



Step 2

Unscrew the G5 and G6 then remove the cross bar.

